

CLAIM CHANGES:

1. (Cancelled)
2. (Cancelled)
3. (Cancelled)
4. (Cancelled)
5. (Cancelled)
6. (Cancelled)
7. (Cancelled)
8. (Currently Amended) A magnetic recording medium comprising:
a nonmagnetic substrate;
a perpendicular magnetic recording layer;
a soft magnetic laminate layer having a thickness of 500Å to 400Å formed
between the nonmagnetic substrate and the perpendicular magnetic medium, and
including a first soft magnetic layer, and a second soft magnetic layer laminated ~~on~~ in
contact with said first soft magnetic layer and differing from said first soft magnetic
layer in the crystal structure.
9. (Original) The magnetic recording medium according to claim 8, wherein each
of said first and second soft magnetic layers contains as a main component at least
one element selected from the group consisting of Fe, Co and Ni.
10. (Cancelled)
11. (Cancelled)
12. (Cancelled)
13. (Cancelled)
14. (Cancelled)
15. (Currently Amended) A magnetic recording apparatus comprising:

a magnetic recording medium having a nonmagnetic substrate, a perpendicular magnetic recording layer, a soft magnetic laminate layer having a thickness of 500Å to 400Å formed between the nonmagnetic substrate and the perpendicular magnetic medium, and including a first soft magnetic layer, and a second soft magnetic layer laminated ~~on~~ in contact with said first soft magnetic layer, and differing from said first soft magnetic layer in the crystal structure;

driving means supporting and rotating the perpendicular magnetic recording medium;

a magnetic head including an element for recording information in the perpendicular magnetic recording medium and another element for reading the recorded information; and

a carriage assembly supporting the magnetic head and making the magnetic head be movable relative to the magnetic recording medium.


17. (New) A magnetic recording medium according to claim 8, wherein the value of the saturation magnetization per layer of said soft magnetic laminate layer is not larger than 90% of the saturation magnetization value under a bulk state.

18. (New) A magnetic recording apparatus according to claim 15, wherein the value of the saturation magnetization per layer of said soft magnetic laminate layer is not larger than 90% of the saturation magnetization value under a bulk state.

New Divisional Application of FUTOSHI NAKAMURA et al.

Entry and consideration of this amendment is requested along with an early action on the merits of this application. By this amendment, claims 1-7, 10-14, and 16 have been cancelled. Claims 8, 9, and 15 and new Claims 17 and 18 are pending.

Respectfully submitted,
PILLSBURY WINTHROP LLP

By: 
Attorney: Glenn J. Perry
Reg. No: 28,458
Tel. No.: (703) 905-2161
Fax No.: (703) 905-2500

GJP/nlh

P.O. Box 10500
McLean, VA 22102

(703) 905-2000